

UltimateTabstrip Class Library

Karamasoft.WebControls.UltimateTabstrip Namespace

[Namespace hierarchy](#)

Classes

Class	Description
BaseItem	Base class for items of collections.
BaseItemCollection	Base class for item collections.
Tab	Tab within a tabstrip.
TabCollection	Tab collection within a tabstrip.
TabContent	Tab content template to include any HTML or server control.
TabHeader	Tab header template to include any HTML or server control.
UltimateTabstrip	UltimateTabstrip is an ASP.NET web server control that allows the user to create a tabstrip.

Enumerations

Enumeration	Description
OpenOn	Specifies the tabstrip open behavior.
Orientation	Specifies the orientation that the tabstrip is rendered.
Position	Specifies the tabstrip position.
Scheme	Specifies the tabstrip schemes.

UltimateTabstrip Class Library

BaseItem Class

Base class for items of collections.

For a list of all members of this type, see [BaseItem Members](#).

[System.Object](#)

Karamasoft.WebControls.UltimateTabstrip.BaseItem

[Karamasoft.WebControls.UltimateTabstrip.Tab](#)

[Visual Basic]

```
MustInherit Public Class BaseItem
    Implements ICloneable, IStateManager
```

[C#]

```
public abstract class BaseItem :
    ICloneable, IStateManager
```

Thread Safety

Public static (**Shared** in Visual Basic) members of this type are safe for multithreaded operations. Instance members are **not** guaranteed to be thread-safe.

Requirements

Namespace: [Karamasoft.WebControls.UltimateTabstrip](#)

Assembly: UltimateTabstrip (in UltimateTabstrip.dll)

See Also

[BaseItem Members](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

UltimateTabstrip Class Library

BaselItem Members

[BaselItem overview](#)

Public Instance Methods

◆ Clone	Creates a new object that is a copy of the current instance.
◆ Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
◆ GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use in hashing algorithms and data structures like a hash table.
◆ GetType (inherited from Object)	Gets the Type of the current instance.
◆ ToString (inherited from Object)	Returns a String that represents the current Object .

See Also

[BaselItem Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

BaseItem Methods

The methods of the **BaseItem** class are listed below. For a complete list of **BaseItem** class members, see the [BaseItem Members](#) topic.

Public Instance Methods

Clone	Creates a new object that is a copy of the current instance.
Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use in hashing algorithms and data structures like a hash table.
GetType (inherited from Object)	Gets the Type of the current instance.
ToString (inherited from Object)	Returns a String that represents the current Object .

See Also

[BaseItem Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

BaseItem.Clone Method

Creates a new object that is a copy of the current instance.

[Visual Basic]

```
Overridable Public Function Clone() As Object  
    Implements ICloneable.Clone
```

[C#]

```
public virtual object Clone();
```

Return Value

A new object that is a copy of this instance.

Implements

[ICloneable.Clone](#)

See Also

[BaseItem Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

BaseItemCollection Class

Base class for item collections.

For a list of all members of this type, see [BaseItemCollection Members](#).

[System.Object](#) [System.Collections.CollectionBase](#)

Karamasoft.WebControls.UltimateTabstrip.BaseItemCollection
[Karamasoft.WebControls.UltimateTabstrip.TabCollection](#)

[Visual Basic]

```
Public Class BaseItemCollection
    Inherits CollectionBase
    Implements ICloneable, IStateManager
```

[C#]

```
public class BaseItemCollection :
    CollectionBase, ICloneable,
    IStateManager
```

Thread Safety

Public static (**Shared** in Visual Basic) members of this type are safe for multithreaded operations. Instance members are **not** guaranteed to be thread-safe.

Requirements

Namespace: [Karamasoft.WebControls.UltimateTabstrip](#)

Assembly: UltimateTabstrip (in UltimateTabstrip.dll)

See Also

[BaseItemCollection Members](#) |

[Karamasoft.WebControls.UltimateTabstrip Namespace](#)

UltimateTabstrip Class Library

BaseItemCollection Members

[BaseItemCollection overview](#)

Public Instance Constructors

 BaseItemCollection Constructor	Initializes a new instance of the BaseItemCollection class.
--	---

Public Instance Properties

 Count (inherited from CollectionBase)	Gets the number of elements contained in the CollectionBase instance.
--	---

Public Instance Methods

 Clear (inherited from CollectionBase)	Removes all objects from the CollectionBase instance.
 Clone	Creates a new object that is a copy of the current instance.
 Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
 GetEnumerator (inherited from CollectionBase)	Returns an enumerator that can iterate through the CollectionBase instance.
 GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use in hashing algorithms and data structures like a hash table.
 GetType (inherited from Object)	Gets the Type of the current instance.
 RemoveAt (inherited from CollectionBase)	Removes the element at the specified index of the CollectionBase instance.

 [ToString](#) (inherited from [Object](#))

Returns a [String](#) that represents the current [Object](#).

See Also

[BaseItemCollection Class](#) |
[Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

BaseItemCollection Constructor

Initializes a new instance of the [BaseItemCollection](#) class.

```
[Visual Basic] Public Sub New()
```

```
[C#]
public BaseItemCollection();
```

See Also

[BaseItemCollection Class](#) |

[Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

BaseItemCollection Methods

The methods of the **BaseItemCollection** class are listed below. For a complete list of **BaseItemCollection** class members, see the [BaseItemCollection Members](#) topic.

Public Instance Methods

◆ Clear (inherited from CollectionBase)	Removes all objects from the CollectionBase instance.
◆ Clone	Creates a new object that is a copy of the current instance.
◆ Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
◆ GetEnumerator (inherited from CollectionBase)	Returns an enumerator that can iterate through the CollectionBase instance.
◆ GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use in hashing algorithms and data structures like a hash table.
◆ GetType (inherited from Object)	Gets the Type of the current instance.
◆ RemoveAt (inherited from CollectionBase)	Removes the element at the specified index of the CollectionBase instance.
◆ ToString (inherited from Object)	Returns a String that represents the current Object .

See Also

[BaseItemCollection Class](#) |
[Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

BaseItemCollection.Clone Method

Creates a new object that is a copy of the current instance.

[Visual Basic]

```
Overridable Public Function Clone() As Object  
    Implements ICloneable.Clone
```

[C#]

```
public virtual object Clone();
```

Return Value

A new object that is a copy of this instance.

Implements

[ICloneable.Clone](#)

See Also

[BaseItemCollection Class](#) |

[Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

OpenOn Enumeration

Specifies the tabstrip open behavior.

```
[Visual Basic] Public Enum OpenOn
```

```
[C#]
public enum OpenOn
```

Members

Member Name	Description
Click	Open on mouse click.
Hover	Open on mouse over.

Requirements

Namespace: [Karamasoft.WebControls.UltimateTabstrip](#)

Assembly: UltimateTabstrip (in UltimateTabstrip.dll)

See Also

[Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Orientation Enumeration

Specifies the orientation that the tabstrip is rendered.

```
[Visual Basic] Public Enum Orientation
```

```
[C#]
public enum Orientation
```

Members

Member Name	Description
Horizontal	Horizontal tabstrip orientation.
Vertical	Vertical tabstrip orientation.

Requirements

Namespace: [Karamasoft.WebControls.UltimateTabstrip](#)

Assembly: UltimateTabstrip (in UltimateTabstrip.dll)

See Also

[Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Position Enumeration

Specifies the tabstrip position.

```
[Visual Basic] Public Enum Position
```

```
[C#]
public enum Position
```

Members

Member Name	Description
Before	Before.
After	After.

Requirements

Namespace: [Karamasoft.WebControls.UltimateTabstrip](#)

Assembly: UltimateTabstrip (in UltimateTabstrip.dll)

See Also

[Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Scheme Enumeration

Specifies the tabstrip schemes.

```
[Visual Basic] Public Enum Scheme
```

```
[C#]
public enum Scheme
```

Members

Member Name	Description
None	None.
Amazon	Amazon.
BarnesNoble	BarnesNoble.
Gmail	Gmail.
MSDN	MSDN.
MySpace	MySpace.
Office	Office.
SimpleHorizontal	SimpleHorizontal.
SimpleHorizontalAfter	SimpleHorizontalAfter.
SimpleVertical	SimpleVertical.
SimpleVerticalAfter	SimpleVertical.
VS2003	VS2003.
Wiki	Wiki.
Windows	Windows.
WindowsSub	WindowsSub.
XP	XP.
Yahoo	Yahoo.

[YouTube](#)

YouTube.

Requirements

Namespace: [Karamasoft.WebControls.UltimateTabstrip](#)

Assembly: UltimateTabstrip (in UltimateTabstrip.dll)

See Also

[Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab Class

Tab within a tabstrip.

For a list of all members of this type, see [Tab Members](#).

[System.Object](#)

[Karamasoft.WebControls.UltimateTabstrip.BaseItem](#)

[Karamasoft.WebControls.UltimateTabstrip.Tab](#)

```
[Visual Basic]  
Public Class Tab  
    Inherits BaseItem
```

```
[C#]  
public class Tab : BaseItem
```

Thread Safety

Public static (**Shared** in Visual Basic) members of this type are safe for multithreaded operations. Instance members are **not** guaranteed to be thread-safe.

Requirements

Namespace: [Karamasoft.WebControls.UltimateTabstrip](#)

Assembly: UltimateTabstrip (in UltimateTabstrip.dll)

See Also

[Tab Members](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

UltimateTabstrip Class Library

Tab Members

[Tab overview](#)

Public Instance Constructors

 Tab Constructor	Initializes a new instance of the Tab class.
---	--

Public Instance Properties

 AccessKey	Gets or sets the keyboard shortcut key (AccessKey) for setting focus to the tab.
 ContentTemplate	Gets or sets the tab content template to include any HTML or server control.
 Enabled	Gets or sets a value that indicates whether the tab is enabled.
 HeaderTemplate	Gets or sets the tab header template to include any HTML or server control.
 HeaderText	The header text string that will appear within a tab.
 ID	Gets or sets the ID of the tab.
 NewLine	Gets or sets a value that indicates whether the tab is located at the beginning of a new line (horizontal or vertical).
 ParentTabstrip	The parent UltimateTabstrip control containing this tab.
 TabActiveStyle	Gets or sets the style to be applied to the tab in the active

	state.
 TabDefaultStyle	Gets or sets the style to be applied to the tab in the default state.
 TabHoverStyle	Gets or sets the style to be applied to the tab in the hovered state.
 TabIndex	Gets or sets the tab index of the tab.
 ToolTip	Gets or sets the tooltip for the tab to be displayed when the mouse cursor is over the control.
 URL	Gets or sets the URL to redirect the page when the tab is clicked.
 Visible	Gets or sets a value that indicates whether the tab is visible.

Public Instance Methods

 Clone	Creates a new object that is a copy of the current instance.
 Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
 GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use in hashing algorithms and data structures like a hash table.
 GetType (inherited from Object)	Gets the Type of the current instance.

 [ToString](#)

Returns a string that represents the current Tab object.

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab Constructor

Initializes a new instance of the Tab class.

```
[Visual Basic] Public Sub New()
```

```
[C#]  
public Tab();
```

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab Properties

The properties of the **Tab** class are listed below. For a complete list of **Tab** class members, see the [Tab Members](#) topic.

Public Instance Properties

 AccessKey	Gets or sets the keyboard shortcut key (AccessKey) for setting focus to the tab.
 ContentTemplate	Gets or sets the tab content template to include any HTML or server control.
 Enabled	Gets or sets a value that indicates whether the tab is enabled.
 HeaderTemplate	Gets or sets the tab header template to include any HTML or server control.
 HeaderText	The header text string that will appear within a tab.
 ID	Gets or sets the ID of the tab.
 NewLine	Gets or sets a value that indicates whether the tab is located at the beginning of a new line (horizontal or vertical).
 ParentTabstrip	The parent UltimateTabstrip control containing this tab.
 TabActiveStyle	Gets or sets the style to be applied to the tab in the active state.
 TabDefaultStyle	Gets or sets the style to be applied to the tab in the default state.

 TabHoverStyle	Gets or sets the style to be applied to the tab in the hovered state.
 TabIndex	Gets or sets the tab index of the tab.
 ToolTip	Gets or sets the tooltip for the tab to be displayed when the mouse cursor is over the control.
 URL	Gets or sets the URL to redirect the page when the tab is clicked.
 Visible	Gets or sets a value that indicates whether the tab is visible.

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.AccessKey Property

Gets or sets the keyboard shortcut key (AccessKey) for setting focus to the tab.

[Visual Basic]

```
Public Property AccessKey As String
```

[C#]

```
public string AccessKey {get; set;}
```

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.ContentTemplate Property

Gets or sets the tab content template to include any HTML or server control.

[Visual Basic]

```
Public Property ContentTemplate As ITemplate
```

[C#]

```
public System.Web.UI.ITemplate ContentTemplate
```

Property Value

Tab content template to include any HTML or server control. The default value is **null**.

Remarks

Use this property to get or set the tab content template to include any HTML or server control.

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.Enabled Property

Gets or sets a value that indicates whether the tab is enabled.

[Visual Basic]

```
Public Property Enabled As Boolean
```

[C#]

```
public bool Enabled {get; set;}
```

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.HeaderTemplate Property

Gets or sets the tab header template to include any HTML or server control.

[Visual Basic]

```
Public Property HeaderTemplate As ITemplate
```

[C#]

```
public System.Web.UI.ITemplate HeaderTemplate
```

Property Value

Tab header template to include any HTML or server control. The default value is **null**.

Remarks

Use this property to get or set the tab header template to include any HTML or server control.

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.HeaderText Property

The header text string that will appear within a tab.

[Visual Basic]

```
Public Property HeaderText As String
```

[C#]

```
public string HeaderText {get; set;}
```

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.ID Property

Gets or sets the ID of the tab.

[Visual Basic]

```
Public Property ID As String
```

[C#]

```
public string ID {get; set;}
```

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.NewLine Property

Gets or sets a value that indicates whether the tab is located at the beginning of a new line (horizontal or vertical).

[Visual Basic]

```
Public Property NewLine As Boolean
```

[C#]

```
public bool NewLine {get; set;}
```

Property Value

true if the tab is located at the beginning of a new line (horizontal or vertical); otherwise, **false**. The default value is **false**.

Remarks

Use this property to locate the tab at the beginning of a new line (horizontal or vertical).

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.ParentTabstrip Property

The parent UltimateTabstrip control containing this tab.

[Visual Basic]

```
Public ReadOnly Property ParentTabstrip As UltimateTabstrip
```

[C#]

```
public UltimateTabstrip ParentTabstrip {get;}
```

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.TabActiveStyle Property

Gets or sets the style to be applied to the tab in the active state.

[Visual Basic]

```
Public ReadOnly Property TabActiveStyle As T
```

[C#]

```
public System.Web.UI.WebControls.TableItemSt
```

Property Value

Tab active style. The default value is **null**.

Remarks

Use this property to get or set the style to be applied to the tab in the active state.

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact](#)

[Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.TabDefaultStyle Property

Gets or sets the style to be applied to the tab in the default state.

[Visual Basic]

```
Public ReadOnly Property TabDefaultStyle As
```

[C#]

```
public System.Web.UI.WebControls.TableItemSt
```

Property Value

Tab default style. The default value is **null**.

Remarks

Use this property to get or set the style to be applied to the tab in the default state.

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact](#)

[Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.TabHoverStyle Property

Gets or sets the style to be applied to the tab in the hovered state.

[Visual Basic]

```
Public ReadOnly Property TabHoverStyle As Tab
```

[C#]

```
public System.Web.UI.WebControls.TableItemSt
```

Property Value

Tab hovered style. The default value is **null**.

Remarks

Use this property to get or set the style to be applied to the tab in the hovered state.

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact](#)

[Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.TabIndex Property

Gets or sets the tab index of the tab.

[Visual Basic]

```
Public Property TabIndex As Short
```

[C#]

```
public shortTabIndex {get; set;}
```

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.ToolTip Property

Gets or sets the tooltip for the tab to be displayed when the mouse cursor is over the control.

[Visual Basic]

```
Public Property ToolTip As String
```

[C#]

```
public string ToolTip {get; set;}
```

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.URL Property

Gets or sets the URL to redirect the page when the tab is clicked.

[Visual Basic]

```
Public Property URL As String
```

[C#]

```
public string URL {get; set;}
```

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.Visible Property

Gets or sets a value that indicates whether the tab is visible.

[Visual Basic]

```
Public Property Visible As Boolean
```

[C#]

```
public bool Visible {get; set;}
```

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab Methods

The methods of the **Tab** class are listed below. For a complete list of **Tab** class members, see the [Tab Members](#) topic.

Public Instance Methods

Clone	Creates a new object that is a copy of the current instance.
Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use in hashing algorithms and data structures like a hash table.
GetType (inherited from Object)	Gets the Type of the current instance.
ToString	Returns a string that represents the current Tab object.

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.Clone Method

Creates a new object that is a copy of the current instance.

```
[Visual Basic]
Overrides Public Function Clone() As Object
Implements ICloneable.Clone
```

```
[C#]
public override object Clone();
```

Return Value

A new object that is a copy of this instance.

Implements

[ICloneable.Clone](#)

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Tab.ToString Method

Returns a string that represents the current Tab object.

```
[Visual Basic]  
Overrides Public Function ToString() As String
```

```
[C#]  
public override string ToString();
```

Return Value

A string that represents the current Tab object.

See Also

[Tab Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollection Class

Tab collection within a tabstrip.

For a list of all members of this type, see [TabCollection Members](#).

[System.Object](#) [System.Collections.CollectionBase](#)
[Karamasoft.WebControls.UltimateTabstrip.BaseItemCollection](#)
[Karamasoft.WebControls.UltimateTabstrip.TabCollection](#)

```
[Visual Basic]
Public Class TabCollection
    Inherits BaseItemCollection
```

```
[C#]
public class TabCollection :
    BaseItemCollection
```

Thread Safety

Public static (**Shared** in Visual Basic) members of this type are safe for multithreaded operations. Instance members are **not** guaranteed to be thread-safe.

Requirements

Namespace: [Karamasoft.WebControls.UltimateTabstrip](#)

Assembly: UltimateTabstrip (in UltimateTabstrip.dll)

See Also

[TabCollection Members](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

UltimateTabstrip Class Library

TabCollection Members

[TabCollection overview](#)

Public Instance Constructors

 TabCollection	Overloaded. Initializes a new instance of the TabCollection class.
---	--

Public Instance Properties

 Count (inherited from CollectionBase)	Gets the number of elements contained in the CollectionBase instance.
 Item	Gets the Tab at the specified index.

Public Instance Methods

 Add	Adds a Tab to the end of the TabCollection.
 Clear (inherited from CollectionBase)	Removes all objects from the CollectionBase instance.
 Clone (inherited from BaseItemCollection)	Creates a new object that is a copy of the current instance.
 Contains	Determines whether a Tab is in the TabCollection.
 Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
 GetEnumerator (inherited from CollectionBase)	Returns an enumerator that can iterate through the CollectionBase instance.
 GetHashCode (inherited from Object)	Serves as a hash function for a

Object)	particular type, suitable for use in hashing algorithms and data structures like a hash table.
▪ GetType (inherited from Object)	Gets the Type of the current instance.
▪ IndexOf	Returns the zero-based index of the first occurrence of a Tab in the TabCollection.
▪ Insert	Inserts a Tab into the TabCollection at the specified index.
▪ Remove	Removes the first occurrence of a specific Tab from the TabCollection.
▪ RemoveAt (inherited from CollectionBase)	Removes the element at the specified index of the CollectionBase instance.
▪ ToString (inherited from Object)	Returns a String that represents the current Object .

See Also

[TabCollection Class | Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollection Constructor

Initializes a new instance of the TabCollection class.

Overload List

Initializes a new instance of the TabCollection class.

[public TabCollection\(\);](#)

Initializes a new instance of the TabCollection class with the specified parent tabstrip object.

[public TabCollection\(UltimateTabstrip\);](#)

See Also

[TabCollection Class | Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollection Constructor ()

Initializes a new instance of the TabCollection class.

[Visual Basic] **Overloads Public Sub New()**

[C#]
public TabCollection();

See Also

[TabCollection Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#) | [TabCollection Constructor Overload List](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollection Constructor (UltimateTabstrip)

Initializes a new instance of the TabCollection class with the specified parent tabstrip object.

```
[Visual Basic] Overloads Public Sub New( _
    ByVal
    parentTabstrip As UltimateTabstrip _
)
```

```
[C#]
public TabCollection(
    UltimateTabstrip parentTabstrip
);
```

Parameters

parentTabstrip

The parent UltimateTabstrip control containing this collection of tabs.

See Also

[TabCollection Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#) | [TabCollection Constructor Overload List](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollection Properties

The properties of the **TabCollection** class are listed below. For a complete list of **TabCollection** class members, see the [TabCollection Members](#) topic.

Public Instance Properties

 Count (inherited from CollectionBase)	Gets the number of elements contained in the CollectionBase instance.
 Item	Gets the Tab at the specified index.

See Also

[TabCollection Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollection.Item Property

Gets the Tab at the specified index.

```
[Visual Basic]
Public Default Property Item( _
    ByVal index As Integer _
) As Tab
```

```
[C#]
public Tab this[
    int index
] {get; set;}
```

Parameters

index

The zero-based index of the Tab to get or set.

Property Value

The Tab at the specified index.

See Also

[TabCollection Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollection Methods

The methods of the **TabCollection** class are listed below. For a complete list of **TabCollection** class members, see the [TabCollection Members](#) topic.

Public Instance Methods

◆ Add	Adds a Tab to the end of the TabCollection.
◆ Clear (inherited from CollectionBase)	Removes all objects from the CollectionBase instance.
◆ Clone (inherited from BaseItemCollection)	Creates a new object that is a copy of the current instance.
◆ Contains	Determines whether a Tab is in the TabCollection.
◆ Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
◆ GetEnumerator (inherited from CollectionBase)	Returns an enumerator that can iterate through the CollectionBase instance.
◆ GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use in hashing algorithms and data structures like a hash table.
◆ GetType (inherited from Object)	Gets the Type of the current instance.
◆ IndexOf	Returns the zero-based index of the first occurrence of a Tab in the TabCollection.
◆ Insert	Inserts a Tab into the TabCollection at the specified index.

≡◆ Remove	Removes the first occurrence of a specific Tab from the TabCollection.
≡◆ RemoveAt (inherited from CollectionBase)	Removes the element at the specified index of the CollectionBase instance.
≡◆ ToString (inherited from Object)	Returns a String that represents the current Object .

See Also

[TabCollection Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollection.Add Method

Adds a Tab to the end of the TabCollection.

```
[Visual Basic] Public Sub Add( _
    ByVal tab As Tab _
)
```

```
[C#]
public void Add(
    Tab tab
);
```

Parameters

tab

The Tab to be added to the end of the TabCollection.

Return Value

The TabCollection index at which the Tab has been added.

See Also

[TabCollection Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollection.Contains Method

Determines whether a Tab is in the TabCollection.

```
[Visual Basic] Public Function Contains( _
    ByVal tab As Tab _ 
) As Boolean
```

```
[C#]
public bool Contains(
    Tab tab
);
```

Parameters

tab

The Tab to locate in the TabCollection.

Return Value

true if the Tab is found in the TabCollection; otherwise, **false**.

See Also

[TabCollection Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollection.IndexOf Method

Returns the zero-based index of the first occurrence of a Tab in the TabCollection.

```
[Visual Basic] Public Function IndexOf( _
    ByVal tab As Tab _
) As Integer
```

```
[C#]
public int Indexof(
    Tab tab
);
```

Parameters

tab

The Tab to locate in the TabCollection.

Return Value

The zero-based index of the first occurrence of Tab within the entire TabCollection, if found; otherwise, -1.

See Also

[TabCollection Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollection.Insert Method

Inserts a Tab into the TabCollection at the specified index.

```
[Visual Basic] Public Sub Insert( _
    ByVal index As Integer, _
    ByVal tab As Tab _
)
```

```
[C#]
public void Insert(
    int index,
    Tab tab
);
```

Parameters

index

The zero-based index at which Tab should be inserted.

tab

The Tab to insert.

See Also

[TabCollection Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollection.Remove Method

Removes the first occurrence of a specific Tab from the TabCollection.

```
[Visual Basic] Public Sub Remove( _
    ByVal tab As Tab _
)
```

```
[C#]
public void Remove(
    Tab tab
);
```

Parameters

tab

The Tab to remove from the TabCollection.

See Also

[TabCollection Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabContent Class

Tab content template to include any HTML or server control.

For a list of all members of this type, see [TabContent Members](#).

[System.Object](#) [System.Web.UI.Control](#)

[System.Web.UI.WebControls.WebControl](#)

Karamasoft.WebControls.UltimateTabstrip.TabContent

[Visual Basic]

Public Class TabContent

Inherits [WebControl](#)

Implements [INamingContainer](#)

[C#]

**public class TabContent : [WebControl](#),
[INamingContainer](#)**

Thread Safety

Public static (**Shared** in Visual Basic) members of this type are safe for multithreaded operations. Instance members are **not** guaranteed to be thread-safe.

Requirements

Namespace: [Karamasoft.WebControls.UltimateTabstrip](#)

Assembly: UltimateTabstrip (in UltimateTabstrip.dll)

See Also

[TabContent Members](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

UltimateTabstrip Class Library

TabContent Members

[TabContent overview](#)

Public Instance Constructors

 TabContent Constructor	Tab content template to include any HTML or server control.
--	---

Public Instance Properties

 AccessKey (inherited from WebControl)	Gets or sets the access key (underlined letter) that allows you to quickly navigate to the Web server control.
 Attributes (inherited from WebControl)	Gets the collection of arbitrary attributes (for rendering only) that do not correspond to properties on the control.
 BackColor (inherited from WebControl)	Gets or sets the background color of the Web server control.
 BindingContainer (inherited from Control)	
 BorderColor (inherited from WebControl)	Gets or sets the border color of the Web control.
 BorderStyle (inherited from WebControl)	Gets or sets the border style of the Web server control.
 BorderWidth (inherited from WebControl)	Gets or sets the border width of the Web server control.
 ClientID (inherited from Control)	Gets the server control identifier generated by ASP.NET.
 Controls (inherited from Control)	Gets a ControlCollection object that represents the child controls for a specified server

	control in the UI hierarchy.
 ControlStyle (inherited from WebControl)	Gets the style of the Web server control. This property is used primarily by control developers.
 ControlStyleCreated (inherited from WebControl)	Gets a value indicating whether a Style object has been created for the ControlStyle property. This property is primarily used by control developers.
 CssClass (inherited from WebControl)	Gets or sets the Cascading Style Sheet (CSS) class rendered by the Web server control on the client.
 Enabled (inherited from WebControl)	Gets or sets a value indicating whether the Web server control is enabled.
 EnableViewState (inherited from Control)	Gets or sets a value indicating whether the server control persists its view state, and the view state of any child controls it contains, to the requesting client.
 Font (inherited from WebControl)	Gets the font properties associated with the Web server control.
 ForeColor (inherited from WebControl)	Gets or sets the foreground color (typically the color of the text) of the Web server control.
 Height (inherited from WebControl)	Gets or sets the height of the Web server control.
 ID (inherited from Control)	Gets or sets the programmatic identifier assigned to the server control.

 NamingContainer (inherited from Control)	Gets a reference to the server control's naming container, which creates a unique namespace for differentiating between server controls with the same ID property value.
 Page (inherited from Control)	Gets a reference to the Page instance that contains the server control.
 Parent (inherited from Control)	Gets a reference to the server control's parent control in the page control hierarchy.
 Site (inherited from Control)	Gets information about the Web site to which the server control belongs.
 Style (inherited from WebControl)	Gets a collection of text attributes that will be rendered as a style attribute on the outer tag of the Web server control.
 TabIndex (inherited from WebControl)	Gets or sets the tab index of the Web server control.
 TemplateSourceDirectory (inherited from Control)	Gets the virtual directory of the Page or UserControl that contains the current server control.
 ToolTip (inherited from WebControl)	Gets or sets the text displayed when the mouse pointer hovers over the Web server control.
 UniqueID (inherited from Control)	Gets the unique, hierarchically-qualified identifier for the server control.
 Visible (inherited from Control)	Gets or sets a value that indicates whether a server

	control is rendered as UI on the page.
 Width (inherited from WebControl)	Gets or sets the width of the Web server control.

Public Instance Methods

 ApplyStyle (inherited from WebControl)	Copies any nonblank elements of the specified style to the Web control, overwriting any existing style elements of the control. This method is primarily used by control developers.
 CopyBaseAttributes (inherited from WebControl)	Copies the properties not encapsulated by the Style object from the specified Web server control to the Web server control that this method is called from. This method is used primarily by control developers.
 DataBind (inherited from Control)	Binds a data source to the invoked server control and all its child controls.
 Dispose (inherited from Control)	Enables a server control to perform final clean up before it is released from memory.
 Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
 FindControl (inherited from Control)	Searches the current naming container for a server control with the specified <i>id</i> parameter.
 GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use

	in hashing algorithms and data structures like a hash table.
◆ GetType (inherited from Object)	Gets the Type of the current instance.
◆ HasControls (inherited from Control)	Determines if the server control contains any child controls.
◆ MergeStyle (inherited from WebControl)	Copies any nonblank elements of the specified style to the Web control, but will not overwrite any existing style elements of the control. This method is used primarily by control developers.
◆ RenderBeginTag (inherited from WebControl)	Renders the HTML opening tag of the control into the specified writer. This method is used primarily by control developers.
◆ RenderControl (inherited from Control)	Outputs server control content to a provided HtmlTextWriter object and stores tracing information about the control if tracing is enabled.
◆ RenderEndTag (inherited from WebControl)	Renders the HTML closing tag of the control into the specified writer. This method is used primarily by control developers.
◆ ResolveUrl (inherited from Control)	Converts a URL into one that is usable on the requesting client.
◆ SetRenderMethodDelegate (inherited from Control)	
◆ ToString (inherited from Object)	Returns a String that represents the current Object .

Public Instance Events

⚡ DataBinding (inherited from Control)	Occurs when the server control binds to a data source.
⚡ Disposed (inherited from Control)	Occurs when a server control is released from memory, which is the last stage of the server control lifecycle when an ASP.NET page is requested.
⚡ Init (inherited from Control)	Occurs when the server control is initialized, which is the first step in its lifecycle.
⚡ Load (inherited from Control)	Occurs when the server control is loaded into the Page object.
⚡ PreRender (inherited from Control)	Occurs when the server control is about to render to its containing Page object.
⚡ Unload (inherited from Control)	Occurs when the server control is unloaded from memory.

See Also

[TabContent Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabContent Constructor

Tab content template to include any HTML or server control.

```
[Visual Basic] Public Sub New()
```

```
[C#]  
public TabContent();
```

See Also

[TabContent Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabHeader Class

Tab header template to include any HTML or server control.

For a list of all members of this type, see [TabHeader Members](#).

[System.Object](#) [System.Web.UI.Control](#)

[System.Web.UI.WebControls.WebControl](#)

Karamasoft.WebControls.UltimateTabstrip.TabHeader

[Visual Basic]

Public Class TabHeader

Inherits [WebControl](#)

Implements [INamingContainer](#)

[C#]

**public class TabHeader : [WebControl](#),
[INamingContainer](#)**

Thread Safety

Public static (**Shared** in Visual Basic) members of this type are safe for multithreaded operations. Instance members are **not** guaranteed to be thread-safe.

Requirements

Namespace: [Karamasoft.WebControls.UltimateTabstrip](#)

Assembly: UltimateTabstrip (in UltimateTabstrip.dll)

See Also

[TabHeader Members](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

UltimateTabstrip Class Library

TabHeader Members

[TabHeader overview](#)

Public Instance Constructors

 TabHeader Constructor	Tab header template to include any HTML or server control.
---	--

Public Instance Properties

 AccessKey (inherited from WebControl)	Gets or sets the access key (underlined letter) that allows you to quickly navigate to the Web server control.
 Attributes (inherited from WebControl)	Gets the collection of arbitrary attributes (for rendering only) that do not correspond to properties on the control.
 BackColor (inherited from WebControl)	Gets or sets the background color of the Web server control.
 BindingContainer (inherited from Control)	
 BorderColor (inherited from WebControl)	Gets or sets the border color of the Web control.
 BorderStyle (inherited from WebControl)	Gets or sets the border style of the Web server control.
 BorderWidth (inherited from WebControl)	Gets or sets the border width of the Web server control.
 ClientID (inherited from Control)	Gets the server control identifier generated by ASP.NET.
 Controls (inherited from Control)	Gets a ControlCollection object that represents the child controls for a specified server

	control in the UI hierarchy.
 ControlStyle (inherited from WebControl)	Gets the style of the Web server control. This property is used primarily by control developers.
 ControlStyleCreated (inherited from WebControl)	Gets a value indicating whether a Style object has been created for the ControlStyle property. This property is primarily used by control developers.
 CssClass (inherited from WebControl)	Gets or sets the Cascading Style Sheet (CSS) class rendered by the Web server control on the client.
 Enabled (inherited from WebControl)	Gets or sets a value indicating whether the Web server control is enabled.
 EnableViewState (inherited from Control)	Gets or sets a value indicating whether the server control persists its view state, and the view state of any child controls it contains, to the requesting client.
 Font (inherited from WebControl)	Gets the font properties associated with the Web server control.
 ForeColor (inherited from WebControl)	Gets or sets the foreground color (typically the color of the text) of the Web server control.
 Height (inherited from WebControl)	Gets or sets the height of the Web server control.
 ID (inherited from Control)	Gets or sets the programmatic identifier assigned to the server control.

 NamingContainer (inherited from Control)	Gets a reference to the server control's naming container, which creates a unique namespace for differentiating between server controls with the same ID property value.
 Page (inherited from Control)	Gets a reference to the Page instance that contains the server control.
 Parent (inherited from Control)	Gets a reference to the server control's parent control in the page control hierarchy.
 Site (inherited from Control)	Gets information about the Web site to which the server control belongs.
 Style (inherited from WebControl)	Gets a collection of text attributes that will be rendered as a style attribute on the outer tag of the Web server control.
 TabIndex (inherited from WebControl)	Gets or sets the tab index of the Web server control.
 TemplateSourceDirectory (inherited from Control)	Gets the virtual directory of the Page or UserControl that contains the current server control.
 ToolTip (inherited from WebControl)	Gets or sets the text displayed when the mouse pointer hovers over the Web server control.
 UniqueID (inherited from Control)	Gets the unique, hierarchically-qualified identifier for the server control.
 Visible (inherited from Control)	Gets or sets a value that indicates whether a server

	control is rendered as UI on the page.
 Width (inherited from WebControl)	Gets or sets the width of the Web server control.

Public Instance Methods

 ApplyStyle (inherited from WebControl)	Copies any nonblank elements of the specified style to the Web control, overwriting any existing style elements of the control. This method is primarily used by control developers.
 CopyBaseAttributes (inherited from WebControl)	Copies the properties not encapsulated by the Style object from the specified Web server control to the Web server control that this method is called from. This method is used primarily by control developers.
 DataBind (inherited from Control)	Binds a data source to the invoked server control and all its child controls.
 Dispose (inherited from Control)	Enables a server control to perform final clean up before it is released from memory.
 Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
 FindControl (inherited from Control)	Searches the current naming container for a server control with the specified <i>id</i> parameter.
 GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use

	in hashing algorithms and data structures like a hash table.
◆ GetType (inherited from Object)	Gets the Type of the current instance.
◆ HasControls (inherited from Control)	Determines if the server control contains any child controls.
◆ MergeStyle (inherited from WebControl)	Copies any nonblank elements of the specified style to the Web control, but will not overwrite any existing style elements of the control. This method is used primarily by control developers.
◆ RenderBeginTag (inherited from WebControl)	Renders the HTML opening tag of the control into the specified writer. This method is used primarily by control developers.
◆ RenderControl (inherited from Control)	Outputs server control content to a provided HtmlTextWriter object and stores tracing information about the control if tracing is enabled.
◆ RenderEndTag (inherited from WebControl)	Renders the HTML closing tag of the control into the specified writer. This method is used primarily by control developers.
◆ ResolveUrl (inherited from Control)	Converts a URL into one that is usable on the requesting client.
◆ SetRenderMethodDelegate (inherited from Control)	
◆ ToString (inherited from Object)	Returns a String that represents the current Object .

Public Instance Events

⚡ DataBinding (inherited from Control)	Occurs when the server control binds to a data source.
⚡ Disposed (inherited from Control)	Occurs when a server control is released from memory, which is the last stage of the server control lifecycle when an ASP.NET page is requested.
⚡ Init (inherited from Control)	Occurs when the server control is initialized, which is the first step in its lifecycle.
⚡ Load (inherited from Control)	Occurs when the server control is loaded into the Page object.
⚡ PreRender (inherited from Control)	Occurs when the server control is about to render to its containing Page object.
⚡ Unload (inherited from Control)	Occurs when the server control is unloaded from memory.

See Also

[TabHeader Class | Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabHeader Constructor

Tab header template to include any HTML or server control.

```
[Visual Basic] Public Sub New()
```

```
[C#]  
public TabHeader();
```

See Also

[TabHeader Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip Class

UltimateTabstrip is an ASP.NET web server control that allows the user to create a tabstrip.

For a list of all members of this type, see [UltimateTabstrip Members](#).

[System.Object](#) [System.Web.UI.Control](#)
[System.Web.UI.WebControls.WebControl](#)
Karamasoft.WebControls.UltimateTabstrip.UltimateTabstrip

```
[Visual Basic]
Public Class UltimateTabstrip
    Inherits WebControl
    Implements IPostBackDataHandler
```

```
[C#]
public class UltimateTabstrip :
    WebControl, IPostBackDataHandler
```

Thread Safety

Public static (**Shared** in Visual Basic) members of this type are safe for multithreaded operations. Instance members are **not** guaranteed to be thread-safe.

Remarks

UltimateTabstrip control renders a tabstrip.

Requirements

Namespace: [Karamasoft.WebControls.UltimateTabstrip](#)

Assembly: UltimateTabstrip (in UltimateTabstrip.dll)

See Also

[UltimateTabstrip Members](#) |
[Karamasoft.WebControls.UltimateTabstrip Namespace](#) |
[UltimateTabstripInclude Directory](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip Members

[UltimateTabstrip overview](#)

Public Instance Constructors

 UltimateTabstrip Constructor	Initializes a new instance of the UltimateTabstrip class.
--	---

Public Instance Properties

 AccessKey (inherited from WebControl)	Gets or sets the access key (underlined letter) that allows you to quickly navigate to the Web server control.
 ActiveTabIndex	Gets or sets the zero-based index of the active tab.
 Attributes (inherited from WebControl)	Gets the collection of arbitrary attributes (for rendering only) that do not correspond to properties on the control.
 AutoPostBack	Gets or sets a value that indicates whether an automatic postback to the server should occur when active tab changed.
 BackColor (inherited from WebControl)	Gets or sets the background color of the Web server control.
 BindingContainer (inherited from Control)	
 BorderColor (inherited from WebControl)	Gets or sets the border color of the Web control.
 BorderStyle (inherited from WebControl)	Gets or sets the border style of the Web server control.
 BorderWidth (inherited from	Gets or sets the border width of

WebControl)	the Web server control.
 CausesValidation	Gets or sets a value indicating whether validation is performed when active tab changed.
 ClientID (inherited from Control)	Gets the server control identifier generated by ASP.NET.
 Controls (inherited from Control)	Gets a ControlCollection object that represents the child controls for a specified server control in the UI hierarchy.
 ControlStyle (inherited from WebControl)	Gets the style of the Web server control. This property is used primarily by control developers.
 ControlStyleCreated (inherited from WebControl)	Gets a value indicating whether a Style object has been created for the ControlStyle property. This property is primarily used by control developers.
 CssClass (inherited from WebControl)	Gets or sets the Cascading Style Sheet (CSS) class rendered by the Web server control on the client.
 Enabled (inherited from WebControl)	Gets or sets a value indicating whether the Web server control is enabled.
 EnableViewState (inherited from Control)	Gets or sets a value indicating whether the server control persists its view state, and the view state of any child controls it contains, to the requesting client.
 Font (inherited from WebControl)	Gets the font properties associated with the Web server

	control.
 ForeColor (inherited from WebControl)	Gets or sets the foreground color (typically the color of the text) of the Web server control.
 Height (inherited from WebControl)	Gets or sets the height of the Web server control.
 HoverDisplayAfter	Gets or sets the time (in milliseconds) after which the tab content will be displayed when OpenOn is Hover.
 ID (inherited from Control)	Gets or sets the programmatic identifier assigned to the server control.
 IncludeDirectory	Gets or sets the include directory.
 NamingContainer (inherited from Control)	Gets a reference to the server control's naming container, which creates a unique namespace for differentiating between server controls with the same ID property value.
 OnClientTabActivate	Gets or sets the name of the JavaScript function to handle the client-side event that fires when the tab is set as the active tab.
 OnClientTabBeforeActivate	Gets or sets the name of the JavaScript function to handle the client-side event that fires immediately before the tab is set as the active tab.
 OnClientTabMouseOut	Gets or sets the name of the JavaScript function to handle

	the client-side event that fires when the user moves the mouse pointer outside the boundaries of the tab.
 OnClientTabMouseOver	Gets or sets the name of the JavaScript function to handle the client-side event that fires when the user moves the mouse pointer into the tab.
 OnClientTabstripLoad	Gets or sets the name of the JavaScript function to handle the client-side event that fires when the UltimateTabstrip control is completely loaded and ready to be reached by the UltimateTabstrips collection on the client-side.
 OpenOn	Gets or sets a value that indicates which mouse event triggers displaying the content of the active tab.
 Orientation	Gets or sets the direction that the tabstrip is rendered.
 Page (inherited from Control)	Gets a reference to the Page instance that contains the server control.
 Parent (inherited from Control)	Gets a reference to the server control's parent control in the page control hierarchy.
 Position	Gets or sets the position that indicates whether the tabstrip is rendered before or after the tabstrip content.

 Scheme	Gets or sets the scheme to display the tabstrip.
 Site (inherited from Control)	Gets information about the Web site to which the server control belongs.
 Style (inherited from WebControl)	Gets a collection of text attributes that will be rendered as a style attribute on the outer tag of the Web server control.
 TabActiveStyle	Gets the style to be applied to the tabs in the active state.
 TabDefaultStyle	Gets the style to be applied to the tabs in the default state.
 TabHoverStyle	Gets the style to be applied to the tabs in the hovered state.
 TabIndex (inherited from WebControl)	Gets or sets the tab index of the Web server control.
 Tabs	Gets the collection of tabs.
 TabSpacing	Gets or sets the amount of space between adjacent tabs in the tabstrip.
 TabstripContentStyle	Gets the style to be applied to the tabstrip content that contains all individual tab contents.
 TabstripStyle	Gets the style to be applied to the tabstrip.
 TemplateSourceDirectory (inherited from Control)	Gets the virtual directory of the Page or UserControl that contains the current server control.

 ToolTip (inherited from WebControl)	Gets or sets the text displayed when the mouse pointer hovers over the Web server control.
 UniqueID (inherited from Control)	Gets the unique, hierarchically-qualified identifier for the server control.
 Visible (inherited from Control)	Gets or sets a value that indicates whether a server control is rendered as UI on the page.
 Width (inherited from WebControl)	Gets or sets the width of the Web server control.

Public Instance Methods

 ApplyStyle (inherited from WebControl)	Copies any nonblank elements of the specified style to the Web control, overwriting any existing style elements of the control. This method is primarily used by control developers.
 CopyBaseAttributes (inherited from WebControl)	Copies the properties not encapsulated by the Style object from the specified Web server control to the Web server control that this method is called from. This method is used primarily by control developers.
 .DataBind (inherited from Control)	Binds a data source to the invoked server control and all its child controls.
 Dispose (inherited from Control)	Enables a server control to perform final clean up before it is released from memory.

 Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
 FindControl	Searches the current naming container for a server control with the specified id parameter.
 GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use in hashing algorithms and data structures like a hash table.
 GetType (inherited from Object)	Gets the Type of the current instance.
 HasControls (inherited from Control)	Determines if the server control contains any child controls.
 LoadpostData	Processes postback data for the server control.
 MergeStyle (inherited from WebControl)	Copies any nonblank elements of the specified style to the Web control, but will not overwrite any existing style elements of the control. This method is used primarily by control developers.
 RaisePostDataChangedEvent	Signals the server control to notify the ASP.NET application that the state of the control has changed.
 RenderBeginTag (inherited from WebControl)	Renders the HTML opening tag of the control into the specified writer. This method is used primarily by control developers.
 RenderControl (inherited from Control)	Outputs server control content to a provided HtmlTextWriter object and stores tracing

	information about the control if tracing is enabled.
◆ RenderEndTag (inherited from WebControl)	Renders the HTML closing tag of the control into the specified writer. This method is used primarily by control developers.
◆ ResolveUrl (inherited from Control)	Converts a URL into one that is usable on the requesting client.
◆ SetRenderMethodDelegate (inherited from Control)	
◆ ToString (inherited from Object)	Returns a String that represents the current Object .

Public Instance Events

⚡ ActiveTabChanged	Event fired when the ActiveTabIndex property changes.
⚡ DataBinding (inherited from Control)	Occurs when the server control binds to a data source.
⚡ Disposed (inherited from Control)	Occurs when a server control is released from memory, which is the last stage of the server control lifecycle when an ASP.NET page is requested.
⚡ Init (inherited from Control)	Occurs when the server control is initialized, which is the first step in its lifecycle.
⚡ Load (inherited from Control)	Occurs when the server control is loaded into the Page object.
⚡ PreRender (inherited from Control)	Occurs when the server control is about to render to its containing Page object.

 [Unload](#) (inherited from [Control](#))

Occurs when the server control is unloaded from memory.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#) | [UltimateTabstripInclude Directory](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip Constructor

Initializes a new instance of the UltimateTabstrip class.

```
[Visual Basic] Public Sub New()
```

```
[C#]  
public UltimateTabstrip();
```

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip Properties

The properties of the **UltimateTabstrip** class are listed below. For a complete list of **UltimateTabstrip** class members, see the [UltimateTabstrip Members](#) topic.

Public Instance Properties

 AccessKey (inherited from WebControl)	Gets or sets the access key (underlined letter) that allows you to quickly navigate to the Web server control.
 ActiveTabIndex	Gets or sets the zero-based index of the active tab.
 Attributes (inherited from WebControl)	Gets the collection of arbitrary attributes (for rendering only) that do not correspond to properties on the control.
 AutoPostBack	Gets or sets a value that indicates whether an automatic postback to the server should occur when active tab changed.
 BackColor (inherited from WebControl)	Gets or sets the background color of the Web server control.
 BindingContainer (inherited from Control)	
 BorderColor (inherited from WebControl)	Gets or sets the border color of the Web control.
 BorderStyle (inherited from WebControl)	Gets or sets the border style of the Web server control.
 BorderWidth (inherited from WebControl)	Gets or sets the border width of the Web server control.
 CausesValidation	Gets or sets a value indicating whether validation is performed

	when active tab changed.
 ClientID (inherited from Control)	Gets the server control identifier generated by ASP.NET.
 Controls (inherited from Control)	Gets a ControlCollection object that represents the child controls for a specified server control in the UI hierarchy.
 ControlStyle (inherited from WebControl)	Gets the style of the Web server control. This property is used primarily by control developers.
 ControlStyleCreated (inherited from WebControl)	Gets a value indicating whether a Style object has been created for the ControlStyle property. This property is primarily used by control developers.
 CssClass (inherited from WebControl)	Gets or sets the Cascading Style Sheet (CSS) class rendered by the Web server control on the client.
 Enabled (inherited from WebControl)	Gets or sets a value indicating whether the Web server control is enabled.
 EnableViewState (inherited from Control)	Gets or sets a value indicating whether the server control persists its view state, and the view state of any child controls it contains, to the requesting client.
 Font (inherited from WebControl)	Gets the font properties associated with the Web server control.
 ForeColor (inherited from WebControl)	Gets or sets the foreground color (typically the color of the

	<p>text) of the Web server control.</p>
 Height (inherited from WebControl)	Gets or sets the height of the Web server control.
 HoverDisplayAfter	Gets or sets the time (in milliseconds) after which the tab content will be displayed when OpenOn is Hover.
 ID (inherited from Control)	Gets or sets the programmatic identifier assigned to the server control.
 IncludeDirectory	Gets or sets the include directory.
 NamingContainer (inherited from Control)	Gets a reference to the server control's naming container, which creates a unique namespace for differentiating between server controls with the same ID property value.
 OnClientTabActivate	Gets or sets the name of the JavaScript function to handle the client-side event that fires when the tab is set as the active tab.
 OnClientTabBeforeActivate	Gets or sets the name of the JavaScript function to handle the client-side event that fires immediately before the tab is set as the active tab.
 OnClientTabMouseOut	Gets or sets the name of the JavaScript function to handle the client-side event that fires when the user moves the mouse pointer outside the

	boundaries of the tab.
 OnClientTabMouseOver	Gets or sets the name of the JavaScript function to handle the client-side event that fires when the user moves the mouse pointer into the tab.
 OnClientTabstripLoad	Gets or sets the name of the JavaScript function to handle the client-side event that fires when the UltimateTabstrip control is completely loaded and ready to be reached by the UltimateTabstrips collection on the client-side.
 OpenOn	Gets or sets a value that indicates which mouse event triggers displaying the content of the active tab.
 Orientation	Gets or sets the direction that the tabstrip is rendered.
 Page (inherited from Control)	Gets a reference to the Page instance that contains the server control.
 Parent (inherited from Control)	Gets a reference to the server control's parent control in the page control hierarchy.
 Position	Gets or sets the position that indicates whether the tabstrip is rendered before or after the tabstrip content.
 Scheme	Gets or sets the scheme to display the tabstrip.
 Site (inherited from Control)	Gets information about the Web

	site to which the server control belongs.
 Style (inherited from WebControl)	Gets a collection of text attributes that will be rendered as a style attribute on the outer tag of the Web server control.
 TabActiveStyle	Gets the style to be applied to the tabs in the active state.
 TabDefaultStyle	Gets the style to be applied to the tabs in the default state.
 TabHoverStyle	Gets the style to be applied to the tabs in the hovered state.
 TabIndex (inherited from WebControl)	Gets or sets the tab index of the Web server control.
 Tabs	Gets the collection of tabs.
 TabSpacing	Gets or sets the amount of space between adjacent tabs in the tabstrip.
 TabstripContentStyle	Gets the style to be applied to the tabstrip content that contains all individual tab contents.
 TabstripStyle	Gets the style to be applied to the tabstrip.
 TemplateSourceDirectory (inherited from Control)	Gets the virtual directory of the Page or UserControl that contains the current server control.
 ToolTip (inherited from WebControl)	Gets or sets the text displayed when the mouse pointer hovers over the Web server control.
 UniqueID (inherited from	Gets the unique, hierarchically-

Control)	qualified identifier for the server control.
 Visible (inherited from Control)	Gets or sets a value that indicates whether a server control is rendered as UI on the page.
 Width (inherited from WebControl)	Gets or sets the width of the Web server control.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#) | [UltimateTabstripInclude Directory](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.ActiveTabIndex Property

Gets or sets the zero-based index of the active tab.

[Visual Basic]

```
Public Property ActiveTabIndex As Integer
```

[C#]

```
public int ActiveTabIndex {get; set;}
```

Property Value

The zero-based index of the active tab. The default value is **0**, which indicates that nothing is active.

Remarks

Use this property to get or set the zero-based index of the active tab.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.AutoPostBack Property

Gets or sets a value that indicates whether an automatic postback to the server should occur when active tab changed.

[Visual Basic]

```
Public Property AutoPostBack As Boolean
```

[C#]

```
public bool AutoPostBack {get; set;}
```

Property Value

true if an automatic postback to the server should occur when active tab changed; otherwise, **false**. The default value is **false**.

Remarks

Use this property to get or set a value that indicates whether an automatic postback to the server should occur when active tab changed.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.CausesValidation Property

Gets or sets a value indicating whether validation is performed when active tab changed.

[Visual Basic]

```
Public Property CausesValidation As Boolean
```

[C#]

```
public bool CausesValidation {get; set;}
```

Property Value

true if validation is performed when active tab changed; otherwise, **false**. The default value is **false**.

Remarks

Use this property to get or set a value that indicates whether validation is performed when active tab changed.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.HoverDisplayAfter Property

Gets or sets the time (in milliseconds) after which the tab content will be displayed when OpenOn is Hover.

[Visual Basic]

```
Public Property HoverDisplayAfter As Integer
```

[C#]

```
public int HoverDisplayAfter {get; set;}
```

Property Value

The time after which the tab content will be displayed when OpenOn is Hover. The default value is **200**.

Remarks

Use this property to get or set the time (in milliseconds) after which the tab content will be displayed when OpenOn is Hover.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.IncludeDirectory Property

Gets or sets the include directory.

[Visual Basic]

```
Public Property IncludeDirectory As String
```

[C#]

```
public string IncludeDirectory {get; set;}
```

Property Value

Include directory. The default value is ~/UltimateTabstripInclude/.

Remarks

Use this property to get or set the include directory.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.OnClientTabActivate Property

Gets or sets the name of the JavaScript function to handle the client-side event that fires when the tab is set as the active tab.

[Visual Basic]

```
Public Property OnClientTabActivate As String
```

[C#]

```
public string OnClientTabActivate {get; set;}
```

Property Value

The name of the JavaScript function. The default value is **(string) null**.

Remarks

Use this property to get or set the name of the JavaScript function to handle the client-side event that fires when the tab is set as the active tab.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.OnClientTabBeforeActivate Property

Gets or sets the name of the JavaScript function to handle the client-side event that fires immediately before the tab is set as the active tab.

[Visual Basic]

```
Public Property OnClientTabBeforeActivate As
```

[C#]

```
public string OnClientTabBeforeActivate {get;
```

Property Value

The name of the JavaScript function. The default value is **(string) null**.

Remarks

Use this property to get or set the name of the JavaScript function to handle the client-side client-side event that fires immediately before the tab is set as the active tab.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.OnClientTabMouseOut Property

Gets or sets the name of the JavaScript function to handle the client-side event that fires when the user moves the mouse pointer outside the boundaries of the tab.

```
[Visual Basic]  
Public Property OnClientTabMouseOut As String
```

```
[C#]  
public string OnClientTabMouseOut {get; set;}
```

Property Value

The name of the JavaScript function. The default value is **(string) null**.

Remarks

Use this property to get or set the name of the JavaScript function to handle the client-side event that fires when the user moves the mouse pointer outside the boundaries of the tab.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.OnClientTabMouseOver Property

Gets or sets the name of the JavaScript function to handle the client-side event that fires when the user moves the mouse pointer into the tab.

```
[Visual Basic]  
Public Property OnClientTabMouseOver As String
```

```
[C#]  
public string OnClientTabMouseOver {get; set;}
```

Property Value

The name of the JavaScript function. The default value is **(string) null**.

Remarks

Use this property to get or set the name of the JavaScript function to handle the client-side event that fires when the user moves the mouse pointer into the tab.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.OnClientTabstripLoad Property

Gets or sets the name of the JavaScript function to handle the client-side event that fires when the UltimateTabstrip control is completely loaded and ready to be reached by the UltimateTabstrips collection on the client-side.

[Visual Basic]

```
Public Property OnClientTabstripLoad As String
```

[C#]

```
public string OnClientTabstripLoad {get; set;}
```

Property Value

The name of the JavaScript function. The default value is **(string) null**.

Remarks

Use this property to get or set the name of the JavaScript function to handle the client-side event that fires when the UltimateTabstrip control is completely loaded and ready to be reached by the UltimateTabstrips collection on the client-side.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.OpenOn Property

Gets or sets a value that indicates which mouse event triggers displaying the content of the active tab.

[Visual Basic]

```
Public Property OpenOn As OpenOn
```

[C#]

```
public OpenOn OpenOn {get; set;}
```

Property Value

Tabstrip open on behavior. The default value is **Click**.

Remarks

Use this property to get or set the open on behavior of the tabstrip.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.Orientation Property

Gets or sets the direction that the tabstrip is rendered.

[Visual Basic]

```
Public Property Orientation As Orientation
```

[C#]

```
public Orientation Orientation {get; set;}
```

Property Value

Orientation. The default value is **Horizontal**.

Remarks

Use this property to get or set the direction that the tabstrip is rendered.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.Position Property

Gets or sets the position that indicates whether the tabstrip is rendered before or after the tabstrip content.

[Visual Basic]

```
Public Property Position As Position
```

[C#]

```
public Position Position {get; set;}
```

Property Value

Position. The default value is **Before**.

Remarks

Use this property to get or set the position that indicates whether the tabstrip is rendered before or after the tabstrip content.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.Scheme Property

Gets or sets the scheme to display the tabstrip.

[Visual Basic]

```
Public Property Scheme As Scheme
```

[C#]

```
public Scheme Scheme {get; set;}
```

Property Value

Scheme to display the tabstrip. The default value is **None**.

Remarks

Use this property to get or set the scheme to display the tabstrip.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.TabActiveStyle Property

Gets the style to be applied to the tabs in the active state.

[Visual Basic]

```
Public ReadOnly Property TabActiveStyle As T
```

[C#]

```
public System.Web.UI.WebControls.TableItemSt
```

Property Value

Tab active style. The default value is **null**.

Remarks

Use this property to get the style to be applied to the tabs in the active state.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.TabDefaultStyle Property

Gets the style to be applied to the tabs in the default state.

[Visual Basic]

```
Public ReadOnly Property TabDefaultStyle As
```

[C#]

```
public System.Web.UI.WebControls.TableItemSt
```

Property Value

Tab default style. The default value is **null**.

Remarks

Use this property to get the style to be applied to the tabs in the default state.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.TabHoverStyle Property

Gets the style to be applied to the tabs in the hovered state.

[Visual Basic]

```
Public ReadOnly Property TabHoverStyle As Tab
```

[C#]

```
public System.Web.UI.WebControls.TableItemSt
```

Property Value

Tab hovered style. The default value is **null**.

Remarks

Use this property to get the style to be applied to the tabs in the hovered state.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.Tabs Property

Gets the collection of tabs.

```
[Visual Basic]  
Public ReadOnly Property Tabs As TabCollection
```

```
[C#]  
public TabCollection Tabs {get;}
```

Property Value

The collection of tabs. The default value is **null**.

Remarks

Use this property to get the collection of tabs.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.TabSpacing Property

Gets or sets the amount of space between adjacent tabs in the tabstrip.

[Visual Basic]

```
Public Property TabSpacing As Unit
```

[C#]

```
public System.Web.UI.WebControls.Unit TabSpac
```

Property Value

The amount of space between adjacent tabs in the tabstrip. The default value is **0**.

Remarks

Use this property to get or set the amount of space between adjacent tabs in the tabstrip.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.TabstripContentStyle Property

Gets the style to be applied to the tabstrip content that contains all individual tab contents.

[Visual Basic]

```
Public ReadOnly Property TabstripContentStyle As
```

[C#]

```
public System.Web.UI.WebControls.TableItemStyle
```

Property Value

Tabstrip content style. The default value is **null**.

Remarks

Use this property to get the style to be applied to the tabstrip content that contains all individual tab contents.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.TabstripStyle Property

Gets the style to be applied to the tabstrip.

[Visual Basic]

```
Public ReadOnly Property TabstripStyle As Tab
```

[C#]

```
public System.Web.UI.WebControls.TableItemSt
```

Property Value

Tabstrip style. The default value is **null**.

Remarks

Use this property to get the style to be applied to the tabstrip.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip Methods

The methods of the **UltimateTabstrip** class are listed below. For a complete list of **UltimateTabstrip** class members, see the [UltimateTabstrip Members](#) topic.

Public Instance Methods

◆ ApplyStyle (inherited from WebControl)	Copies any nonblank elements of the specified style to the Web control, overwriting any existing style elements of the control. This method is primarily used by control developers.
◆ CopyBaseAttributes (inherited from WebControl)	Copies the properties not encapsulated by the Style object from the specified Web server control to the Web server control that this method is called from. This method is used primarily by control developers.
◆ .DataBind (inherited from Control)	Binds a data source to the invoked server control and all its child controls.
◆ Dispose (inherited from Control)	Enables a server control to perform final clean up before it is released from memory.
◆ Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
◆ FindControl	Searches the current naming container for a server control with the specified id parameter.
◆ GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use

	in hashing algorithms and data structures like a hash table.
◆ GetType (inherited from Object)	Gets the Type of the current instance.
◆ HasControls (inherited from Control)	Determines if the server control contains any child controls.
◆ LoadpostData	Processes postback data for the server control.
◆ MergeStyle (inherited from WebControl)	Copies any nonblank elements of the specified style to the Web control, but will not overwrite any existing style elements of the control. This method is used primarily by control developers.
◆ RaisePostDataChangedEvent	Signals the server control to notify the ASP.NET application that the state of the control has changed.
◆ RenderBeginTag (inherited from WebControl)	Renders the HTML opening tag of the control into the specified writer. This method is used primarily by control developers.
◆ RenderControl (inherited from Control)	Outputs server control content to a provided HtmlTextWriter object and stores tracing information about the control if tracing is enabled.
◆ RenderEndTag (inherited from WebControl)	Renders the HTML closing tag of the control into the specified writer. This method is used primarily by control developers.
◆ ResolveUrl (inherited from Control)	Converts a URL into one that is usable on the requesting client.

◆ SetRenderMethodDelegate (inherited from Control)	
◆ ToString (inherited from Object)	Returns a String that represents the current Object .

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#) | [UltimateTabstripInclude Directory](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.FindControl Method

Searches the current naming container for a server control with the specified id parameter.

```
[Visual Basic]
Overrides Public Function FindControl( _
    ByVal id As String _
) As Control
```

```
[C#]
public override Control FindControl(
    string id
);
```

Parameters

id

The identifier for the control to be found.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.LoadpostData Method

Processes postback data for the server control.

```
[Visual Basic]
Overridable Public Function LoadpostData(
    ByVal postDataKey As String,
    ByVal
postCollection As NameValueCollection
) As Boolean
    Implements IPostBackDataHandler.LoadPostD
```

```
[C#]
public virtual bool LoadpostData(
    string postDataKey,
    NameValueCollection postCollection
);
```

Parameters

postDataKey

The key identifier for the control.

postCollection

The collection of all incoming name values.

Return Value

true if the server control's state changes as a result of the postback; otherwise, **false**.

Implements

[IPostBackDataHandler.LoadpostData](#)

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.RaisePostDataChangedEvent Method

Signals the server control to notify the ASP.NET application that the state of the control has changed.

[Visual Basic]

```
Overridable Public Sub RaisePostDataChangedEvent()
    Implements IPostBackDataHandler.RaisePostDataChangedEvent
```

[C#]

```
public virtual void RaisePostDataChangedEvent()
```

Implements

[IPostBackDataHandler.RaisePostDataChangedEvent](#)

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip Events

The events of the **UltimateTabstrip** class are listed below. For a complete list of **UltimateTabstrip** class members, see the [UltimateTabstrip Members](#) topic.

Public Instance Events

 ActiveTabChanged	Event fired when the ActiveTabIndex property changes.
 DataBinding (inherited from Control)	Occurs when the server control binds to a data source.
 Disposed (inherited from Control)	Occurs when a server control is released from memory, which is the last stage of the server control lifecycle when an ASP.NET page is requested.
 Init (inherited from Control)	Occurs when the server control is initialized, which is the first step in its lifecycle.
 Load (inherited from Control)	Occurs when the server control is loaded into the Page object.
 PreRender (inherited from Control)	Occurs when the server control is about to render to its containing Page object.
 Unload (inherited from Control)	Occurs when the server control is unloaded from memory.

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#) | [UltimateTabstripInclude Directory](#)

[Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

UltimateTabstrip.ActiveTabChanged Event

Event fired when the ActiveTabIndex property changes.

[Visual Basic]

```
Public Event ActiveTabChanged As EventHandler
```

[C#]

```
public event EventHandler ActiveTabChanged;
```

See Also

[UltimateTabstrip Class](#) | [Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Karamasoft.WebControls.UltimateTabstrip.Design Namespace

[Namespace hierarchy](#)

Classes

Class	Description
TabCollectionEditor	Designer editor for the tab collection.
TabsEditor	Designer editor for Tabs.

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollectionEditor Class

Designer editor for the tab collection.

For a list of all members of this type, see [TabCollectionEditor Members](#).

[System.Object](#) [System.Drawing.Design.UITypeEditor](#)
[System.ComponentModel.Design.CollectionEditor](#)
[Karamasoft.WebControls.UltimateTabstrip.Design.TabsEditor](#)
[Karamasoft.WebControls.UltimateTabstrip.Design.TabColle](#)

[Visual Basic]

```
Public Class TabCollectionEditor  
    Inherits TabsEditor
```

[C#]

```
public class TabCollectionEditor :  
    TabsEditor
```

Thread Safety

Public static (**Shared** in Visual Basic) members of this type are safe for multithreaded operations. Instance members are **not** guaranteed to be thread-safe.

Requirements

Namespace: [Karamasoft.WebControls.UltimateTabstrip.Design](#)

Assembly: UltimateTabstrip (in UltimateTabstrip.dll)

See Also

[TabCollectionEditor Members](#) |

[Karamasoft.WebControls.UltimateTabstrip.Design Namespace](#)

UltimateTabstrip Class Library

TabCollectionEditor Members

[TabCollectionEditor overview](#)

Public Instance Constructors

◆ TabCollectionEditor Constructor	Initializes a new instance of the TabCollectionEditor class.
---	--

Public Instance Methods

◆ EditValue	Overloaded. Edits the value of the specified object using the specified service provider and context.
◆ EditValue (inherited from UITypeEditor)	Overloaded. Edits the value of the specified object using the editor style indicated by GetEditStyle .
◆ Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
◆ GetEditStyle (inherited from CollectionEditor)	Overloaded. Gets the edit style used by the EditValue method.
◆ GetEditStyle (inherited from UITypeEditor)	Overloaded. Gets the editor style used by the EditValue method.
◆ GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use in hashing algorithms and data structures like a hash table.
◆ GetPaintValueSupported (inherited from UITypeEditor)	Overloaded. Indicates whether the specified context supports painting a representation of an object's value within the

	specified context.
◆ GetType (inherited from Object)	Gets the Type of the current instance.
◆ PaintValue (inherited from UITypeEditor)	Overloaded. Paints a representation of the value of an object using the specified PaintValueEventArgs .
◆ ToString (inherited from Object)	Returns a String that represents the current Object .

See Also

[TabCollectionEditor Class](#) |
[Karamasoft.WebControls.UltimateTabstrip.Design Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollectionEditor Constructor

Initializes a new instance of the TabCollectionEditor class.

```
[Visual Basic] Public Sub New( _
    ByVal type As Type _
)
```

```
[C#]
public TabCollectionEditor(
    Type type
);
```

Parameters

type

The type of collection to edit.

See Also

[TabCollectionEditor Class](#) |

[Karamasoft.WebControls.UltimateTabstrip.Design Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollectionEditor Methods

The methods of the **TabCollectionEditor** class are listed below. For a complete list of **TabCollectionEditor** class members, see the [TabCollectionEditor Members](#) topic.

Public Instance Methods

◆ EditValue	Overloaded. Edits the value of the specified object using the specified service provider and context.
◆ EditValue (inherited from UITypeEditor)	Overloaded. Edits the value of the specified object using the editor style indicated by GetEditStyle .
◆ Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
◆ GetEditStyle (inherited from CollectionEditor)	Overloaded. Gets the edit style used by the EditValue method.
◆ GetEditStyle (inherited from UITypeEditor)	Overloaded. Gets the editor style used by the EditValue method.
◆ GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use in hashing algorithms and data structures like a hash table.
◆ GetPaintValueSupported (inherited from UITypeEditor)	Overloaded. Indicates whether the specified context supports painting a representation of an object's value within the specified context.
◆ GetType (inherited from Object)	Gets the Type of the current instance.

≡◆ PaintValue (inherited from UITypeEditor)	Overloaded. Paints a representation of the value of an object using the specified PaintValueEventArgs .
≡◆ ToString (inherited from Object)	Returns a String that represents the current Object .

See Also

[TabCollectionEditor Class](#) |
[Karamasoft.WebControls.UltimateTabstrip.Design Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollectionEditor.EditValue Method

Edits the value of the specified object using the specified service provider and context.

Overload List

Edits the value of the specified object using the specified service provider and context.

[public override object EditValue\(ITypeDescriptorContext,IServicePrc](#)

Inherited from [UITypeEditor](#).

[public object EditValue\(IServiceProvider,object\);](#)

See Also

[TabCollectionEditor Class](#) |

[Karamasoft.WebControls.UltimateTabstrip.Design Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabCollectionEditor.EditValue Method (ITypeDescriptorContext, IServiceProvider, Object)

Edits the value of the specified object using the specified service provider and context.

```
[Visual Basic]
Overrides Overloads Public Function EditValue(  
    ByVal  
    context As ITypeDescriptorContext,  
    ByVal provider As IServiceProvider,  
    ByVal value As Object  
) As Object
```

```
[C#]  
public override object EditValue(  
    ITypeDescriptorContext context,  
    IServiceProvider provider,  
    object value  
) ;
```

Parameters

context

A type descriptor context that can be used to gain additional context information.

provider

A service provider object through which editing services may be obtained.

value

The object to edit the value of.

Return Value

The new value of the object. If the value of the object hasn't changed, this should return the same object it was passed.

See Also

[TabCollectionEditor Class](#) |
[Karamasoft.WebControls.UltimateTabstrip.Design Namespace](#) |
[TabCollectionEditor.EditValue Overload List](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabsEditor Class

Designer editor for Tabs.

For a list of all members of this type, see [TabsEditor Members](#).

[System.Object](#) [System.Drawing.Design.UITypeEditor](#)
[System.ComponentModel.Design.CollectionEditor](#)
Karamasoft.WebControls.UltimateTabstrip.Design.TabsEditor
[Karamasoft.WebControls.UltimateTabstrip.Design.TabCollection](#)

[Visual Basic]

```
Public Class TabsEditor  
    Inherits CollectionEditor
```

[C#]

```
public class TabsEditor : CollectionEditor
```

Thread Safety

Public static (**Shared** in Visual Basic) members of this type are safe for multithreaded operations. Instance members are **not** guaranteed to be thread-safe.

Requirements

Namespace: [Karamasoft.WebControls.UltimateTabstrip.Design](#)

Assembly: UltimateTabstrip (in UltimateTabstrip.dll)

See Also

[TabsEditor Members](#) |

[Karamasoft.WebControls.UltimateTabstrip.Design Namespace](#)

UltimateTabstrip Class Library

TabsEditor Members

[TabsEditor overview](#)

Public Instance Constructors

◆ TabsEditor Constructor	Initializes a new instance of the TabsEditor class.
--	---

Public Instance Methods

◆ EditValue	Overloaded. Edits the value of the specified object using the specified service provider and context.
◆ EditValue (inherited from UITypeEditor)	Overloaded. Edits the value of the specified object using the editor style indicated by GetEditStyle .
◆ Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
◆ GetEditStyle (inherited from CollectionEditor)	Overloaded. Gets the edit style used by the EditValue method.
◆ GetEditStyle (inherited from UITypeEditor)	Overloaded. Gets the editor style used by the EditValue method.
◆ GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use in hashing algorithms and data structures like a hash table.
◆ GetPaintValueSupported (inherited from UITypeEditor)	Overloaded. Indicates whether the specified context supports painting a representation of an object's value within the

	specified context.
◆ GetType (inherited from Object)	Gets the Type of the current instance.
◆ PaintValue (inherited from UITypeEditor)	Overloaded. Paints a representation of the value of an object using the specified PaintValueEventArgs .
◆ ToString (inherited from Object)	Returns a String that represents the current Object .

See Also

[TabsEditor Class | Karamasoft.WebControls.UltimateTabstrip.Design Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabsEditor Constructor

Initializes a new instance of the TabsEditor class.

```
[Visual Basic] Public Sub New( _
    ByVal type As Type _
)
```

```
[C#]
public TabsEditor(
    Type type
);
```

Parameters

type

The type of collection to edit.

See Also

[TabsEditor Class](#) | [Karamasoft.WebControls.UltimateTabstrip.Design Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabsEditor Methods

The methods of the **TabsEditor** class are listed below. For a complete list of **TabsEditor** class members, see the [TabsEditor Members](#) topic.

Public Instance Methods

◆ EditValue	Overloaded. Edits the value of the specified object using the specified service provider and context.
◆ EditValue (inherited from UITypeEditor)	Overloaded. Edits the value of the specified object using the editor style indicated by GetEditStyle .
◆ Equals (inherited from Object)	Determines whether the specified Object is equal to the current Object .
◆ GetEditStyle (inherited from CollectionEditor)	Overloaded. Gets the edit style used by the EditValue method.
◆ GetEditStyle (inherited from UITypeEditor)	Overloaded. Gets the editor style used by the EditValue method.
◆ GetHashCode (inherited from Object)	Serves as a hash function for a particular type, suitable for use in hashing algorithms and data structures like a hash table.
◆ GetPaintValueSupported (inherited from UITypeEditor)	Overloaded. Indicates whether the specified context supports painting a representation of an object's value within the specified context.
◆ GetType (inherited from Object)	Gets the Type of the current instance.

≡◆ PaintValue (inherited from UITypeEditor)	Overloaded. Paints a representation of the value of an object using the specified PaintValueEventArgs .
≡◆ ToString (inherited from Object)	Returns a String that represents the current Object .

See Also

[TabsEditor Class](#) | [Karamasoft.WebControls.UltimateTabstrip.Design Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabsEditor.EditValue Method

Edits the value of the specified object using the specified service provider and context.

Overload List

Edits the value of the specified object using the specified service provider and context.

[public override object EditValue\(ITypeDescriptorContext,IServicePrc](#)

Inherited from [UITypeEditor](#).

[public object EditValue\(IServiceProvider,object\);](#)

See Also

[TabsEditor Class | Karamasoft.WebControls.UltimateTabstrip.Design Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

TabsEditor.EditValue Method (ITypeDescriptorContext, IServiceProvider, Object)

Edits the value of the specified object using the specified service provider and context.

```
[Visual Basic]
Overrides Overloads Public Function EditValue(  
    ByVal  
    context As ITypeDescriptorContext,  
    ByVal provider As IServiceProvider,  
    ByVal value As Object  
) As Object
```

```
[C#]  
public override object EditValue(  
    ITypeDescriptorContext context,  
    IServiceProvider provider,  
    object value  
) ;
```

Parameters

context

A type descriptor context that can be used to gain additional context information.

provider

A service provider object through which editing services may be obtained.

value

The object to edit the value of.

Return Value

The new value of the object. If the value of the object hasn't changed, this should return the same object it was passed.

See Also

[TabsEditor Class](#) | [Karamasoft.WebControls.UltimateTabstrip.Design Namespace](#) | [TabsEditor.EditValue Overload List](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstrip Class Library

Karamasoft.WebControls.UltimateTabstrip Hierarchy

[System.Object](#)

[Karamasoft.WebControls.UltimateTabstrip.BaselItem](#) ----

[System.ICloneable](#), [System.Web.UI.IStateManager](#)

[Karamasoft.WebControls.UltimateTabstrip.Tab](#)

[System.Collections.CollectionBase](#) ----

[System.Collections.ICollection](#), [System.Collections.IEnumerable](#),

[System.Collections.IList](#)

[Karamasoft.WebControls.UltimateTabstrip.BaselItemCollection](#) -

--- [System.ICloneable](#), [System.Web.UI.IStateManager](#)

[Karamasoft.WebControls.UltimateTabstrip.TabCollection](#)

[System.ValueType](#)

[System.Enum](#) ---- [System.IComparable](#), [System.IConvertible](#),

[System.IFormattable](#)

[Karamasoft.WebControls.UltimateTabstrip.OpenOn](#)

[Karamasoft.WebControls.UltimateTabstrip.Orientation](#)

[Karamasoft.WebControls.UltimateTabstrip.Position](#)

[Karamasoft.WebControls.UltimateTabstrip.Scheme](#)

[System.Web.UI.Control](#) ----

[System.ComponentModel.IContainer](#), [System.IDisposable](#),

[System.Web.UI.IDataBindingsAccessor](#),

[System.Web.UI.IParserAccessor](#)

[System.Web.UI.WebControls.WebControl](#) ----

[System.Web.UI.IAttributeAccessor](#)

[Karamasoft.WebControls.UltimateTabstrip.TabContent](#) ----

[System.Web.UI.INamingContainer](#)

[Karamasoft.WebControls.UltimateTabstrip.TabHeader](#) ----

[System.Web.UI.INamingContainer](#)

[Karamasoft.WebControls.UltimateTabstrip.UltimateTabstrip](#) ---

- [System.Web.UI.IPostBackDataHandler](#)

See Also

[Karamasoft.WebControls.UltimateTabstrip Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)

UltimateTabstripInclude Directory	
Filename	Description
UltimateTabstrip.js	Script file to handle client-side operations.
Schemes Directory	Directory that contains schemes to be used in UltimateTabstrip.
Amazon Directory	Scheme based on the Amazon website.
BarnesNoble Directory	Scheme based on the Barnes & Noble website.
Gmail Directory	Scheme based on the Gmail website.
MSDN Directory	Scheme based on the Microsoft MSDN website.
MySpace Directory	Scheme based on the MySpace website.
Office Directory	Scheme based on the Microsoft Office website.
SimpleHorizontal Directory	Scheme based on the simple horizontal tabstrip style.
SimpleHorizontalAfter Directory	Scheme based on the simple horizontal tabstrip style where the tabsrip is rendered after the content.
SimpleVertical Directory	Scheme based on the simple vertical tabstrip style.
SimpleVerticalAfter Directory	Scheme based on the simple vertical tabstrip style where the tabsrip is rendered after the content.
VS2003 Directory	Scheme based on the Visual Studio 2003 style.
Wiki Directory	Scheme based on the Wikipedia website.
Windows Directory	Scheme based on the Microsoft Windows website.
WindowsSub Directory	Scheme based on the sub tabstrips on the Microsoft Windows website.
XP Directory	Scheme based on the Windows XP style.
Yahoo Directory	Scheme based on the Yahoo website.
YouTube Directory	Scheme based on the YouTube website.

UltimateTabstrip Class Library

Karamasoft.WebControls.UltimateTabstrip.Design Hierarchy

[System.Object](#)

[System.Drawing.Design.UITypeEditor](#)

[System.ComponentModel.Design.CollectionEditor](#)

[Karamasoft.WebControls.UltimateTabstrip.Design.TabsEditor](#)

[Karamasoft.WebControls.UltimateTabstrip.Design.TabCollectio](#)

See Also

[Karamasoft.WebControls.UltimateTabstrip.Design Namespace](#)

© 2007 Karamasoft LLC. All rights reserved. [Home](#) | [Contact Us](#) | [Privacy](#) | [Terms Of Use](#)