

# **Vbs To Exe - Help**

## **Index**

### **1 - Program description**

[1.1 Description](#)

[1.2 Usage](#)

[1.3 Options](#)

[1.4 Commandline](#)

[1.5 Environment variables](#)

[1.6 System requirements](#)

### **2 - License**

[2.1 License](#)

[2.2 Miscellaneous](#)

### **3 - Contact**

[3.1 Author](#)

[3.2 Website](#)

[3.3 Email](#)

---

## **Description**

Vbs To Exe converts VBS (.vbs) files to the EXE (.exe) format.

---

## **Usage**

Select a Vbs file and the save path.

Set your preferred options.

Click on the button 'Compile'

---

## Options

<b>Visible application</b>	Create a visible application with a window
<b>Invisible application</b>	Create an invisible application with a window
<b>32 Bit</b>	Create a 32 Bit application
<b>64 Bit</b>	Create a 64 Bit application
<b>Current directory</b>	Use the current directory on execution
<b>Temporary directory</b>	Use the temporary directory on execution
<b>Delete on exit</b>	Delete the temporary files on execution
<b>Do not delete</b>	Do not delete the temporary files on execution
<b>Encrypt the program</b>	Encrypt the program with a password
<b>Administrator Manifest</b>	Add an administrator manifest to the program
<b>Overwrite existing files</b>	Overwrite existing files
<b>Include</b>	Include additional files/folders in the program
<b>Icon</b>	Include an icon to the program
<b>Version information</b>	Include version information to the program
<b>Editor</b>	Shows and edits the content of the program
<b>Compress the exe using UPX</b>	Compress the exe using UPX

---

## Commandline

<b>-vbs [filename]</b>	The vbs file that you want to compile
<b>-save [filename]</b>	The output filename of your executable
<b>-icon [filename]</b>	The icon file of your application
<b>-invisible</b>	Create an invisible application
<b>-x64</b>	Create a 64 Bit application
<b>-temp</b>	Use the temporary directory on execution

<b><i>-nodelete</i></b>	<i>Do not delete the temporary fi</i>
<b><i>-encrypt [Password]</i></b>	<i>Encrypt the program with a pa</i>
<b><i>-admin</i></b>	<i>Add an administrator manifest</i>
<b><i>-overwrite</i></b>	<i>Overwrite existing files</i>
<b><i>-include [file/folder]</i></b>	<i>Include an additional file/folde</i>
<b><i>-fileversion [String]</i></b>	<i>File version number</i>
<b><i>-productversion [String]</i></b>	<i>Product version number</i>
<b><i>-company [String]</i></b>	<i>Company name</i>
<b><i>-productname [String]</i></b>	<i>Product name</i>
<b><i>-internalname [String]</i></b>	<i>Internal name</i>
<b><i>-description [String]</i></b>	<i>Product description</i>
<b><i>-copyright [String]</i></b>	<i>Copyright</i>
<b><i>-upx</i></b>	<i>Compress the exe using UPX</i>
<b><i>-v2edecompile</i></b>	<i>Start the decompiler - Convert</i>
<b><i>-v2epass [Password]</i></b>	<i>Decrypt exe file. Input box wil</i>

---

## **Examples**

Vbs\_To\_Exe.exe -vbs myfile.vbs -save myprogram.exe -icon myicon

myprogram.exe -v2epass password

myprogram.exe -v2edecompile

---

## **Environment variables**

These environment variables are automatically set at the start of your program

<b><i>v2incfile(number)</i></b>	<i>Returns, if available, the inclu</i>
<b><i>v2incfilecount</i></b>	<i>Returns the number of files inc</i>

<i><b>v2eincfilepath</b></i>	<i>Returns the include file path</i>
<i><b>v2eprogramname</b></i>	<i>Returns the full path name of y</i>
<i><b>v2eprogramfilename</b></i>	<i>Returns the file name of your e</i>
<i><b>v2eprogrampathname</b></i>	<i>Returns the directory name of.</i>
<i><b>v2eprogramshortname</b></i>	<i>Returns the short DOS (8.3) p executable</i>

---

## **System requirements**

Windows 2000 or higher

---

## **License**

License Agreement

Copyright (c) 2016 Fatih Kodak

Permission is hereby granted, free of charge, to any person obtaining of this software and associated documentation files (the "Software"), in the Software without restriction, including without limitation the r to use, copy, modify, merge, publish, distribute, sublicense, and/or se copies of the Software, and to permit persons to whom the Software furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be inclu all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY  
KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTY  
MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT  
EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY  
DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT  
OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE  
OTHER DEALINGS IN  
THE SOFTWARE.

---

### **Miscellaneous**

This program uses: [GoLink](#) [GoRC](#) [Scintilla](#) [UPX](#)

The Scintilla license can be viewed [here](#)

---

### **Contact**

**Author:** Fatih

**Website:** Kodak

**Email:** [www.f2ko.de](http://www.f2ko.de)  
[webmaster@f2ko.de](mailto:webmaster@f2ko.de)

---

# **Vbs To Exe - Hilfe**

## **Index**

### **1 - Programmbeschreibung**

- [1.1 Beschreibung](#)
- [1.2 Verwendung](#)
- [1.3 Optionen](#)
- [1.4 Kommandozeile](#)
- [1.5 Umgebungsvariablen](#)
- [1.6 Systemvoraussetzungen](#)

### **2 - Lizenz**

- [2.1 Lizenz](#)
- [2.2 Sonstiges](#)

### **3 - Kontakt**

- [3.1 Author](#)
- [3.2 Webseite](#)
- [3.3 Email](#)

---

## **Beschreibung**

Vbs To Exe wandelt VBS (.vbs) Dateien in das EXE (.exe) Format u

---

## **Verwendung**

Wählen Sie eine Vbs Datei zum Öffnen und den Pfad zum Speicherr  
Nehmen Sie Ihre gewünschten Einstellungen vor.

Klicken Sie auf 'Kompilieren'

---

## **Optionen**

<b><i>Sichtbares Programm</i></b>	<i>Erstellt ein sichtbares Programm Konsolefenster</i>
<b><i>Unsichtbares Programm</i></b>	<i>Erstellt ein unsichtbares Programm Konsolefenster</i>
<b><i>32 Bit</i></b>	<i>Erstellt ein 32 Bit Programm</i>
<b><i>64 Bit</i></b>	<i>Erstellt ein 64 Bit Programm</i>
<b><i>Aktuelles Arbeitsverzeichnis</i></b>	<i>Führt das erstellte Programm Verzeichnis aus</i>
<b><i>Temporärer Ordner</i></b>	<i>Führt das erstellte Programm aus</i>
<b><i>Beim Beenden löschen</i></b>	<i>Löscht alle temporären Dateien Ausführung</i>
<b><i>Nicht löschen</i></b>	<i>Löscht keine temporären Dateien</i>
<b><i>Programm verschlüsseln</i></b>	<i>Verschlüsselt das Programm</i>
<b><i>Administrator Manifest</i></b>	<i>Fügt dem Programm ein Administrator Manifest hinzu</i>
<b><i>Dateien überschreiben</i></b>	<i>Überschreibt bereits vorhandene Dateien</i>
<b><i>Einfügen</i></b>	<i>Fügt Dateien/Ordner in das Programm ein</i>
<b><i>Icon</i></b>	<i>Bindet ein Icon in das Programm</i>
<b><i>Versionsinformationen</i></b>	<i>Bindet Versionsinformationen an das Programm</i>
<b><i>Editor</i></b>	<i>Zeigt und ändert den Inhalt der Datei</i>
<b><i>Mit UPX komprimieren</i></b>	<i>Komprimiert das Programm mit UPX</i>

---

## **Kommandozeile**

<b><i>-vbs [Dateiname]</i></b>	<i>Die zu konvertierende Vbs Datei</i>
<b><i>-save [Dateiname]</i></b>	<i>Name zum Speichern der Exe i</i>

<b>-icon [Dateiname]</b>	<i>Name der Icondatei</i>
<b>-invisible</b>	<i>Erstellt eine unsichtbare Anwe</i>
<b>-x64</b>	<i>Erstellt eine 64 Bit Anwendung</i>
<b>-temp</b>	<i>Führt das erstellte Programm aus</i>
<b>-nodelete</b>	<i>Löscht die temporären Dateien Ausführung nicht</i>
<b>-encrypt [Passwort]</b>	<i>Verschlüsselt das Programm n</i>
<b>-admin</b>	<i>Fügt dem Programm ein Admin hinzu</i>
<b>-overwrite</b>	<i>Überschreibt bereits vorhande</i>
<b>-include [Datei/Ordner]</b>	<i>Bindet eine Datei oder einen C Programm ein</i>
<b>-fileversion [String]</b>	<i>Nummer der Dateiversion</i>
<b>-productversion [String]</b>	<i>Nummer der Produktversion</i>
<b>-company [String]</b>	<i>Name der Firma</i>
<b>-productname [String]</b>	<i>Name des Produktes</i>
<b>-internalname [String]</b>	<i>Interner Name des Produktes</i>
<b>-description [String]</b>	<i>Produktbeschreibung</i>
<b>-copyright [String]</b>	<i>Urheberrecht</i>
<b>-upx</b>	<i>Komprimiert das Programm m</i>
<b>-v2edecompile</b>	<i>Öffnet den Decompiler - Konv zur Vbs</i>
<b>-v2epass [Passwort]</b>	<i>Entschlüsselt die konvertierte . Eingabeaufforderung</i>

---

## Beispiele

Vbs\_To\_Exe.exe -vbs myfile.vbs -save myprogram.exe -icon myicon

myprogram.exe -v2epass password

myprogram.exe -v2edecompile

---



## Umgebungsvariablen

Beim Start einer konvertierten Exe werden automatisch folgende Umgebungsvariablen gesetzt

<i>v2eincfile(nummer)</i>	<i>Zeigt, falls vorhanden, den Namen der eingebundenen Datei an</i>
<i>v2eincfilecount</i>	<i>Zeigt die Anzahl der eingebundenen Dateien an</i>
<i>v2eincfilepath</i>	<i>Zeigt an, in welchem Pfad, sich die eingebundenen Dateien befinden</i>
<i>v2eprogramname</i>	<i>Zeigt den vollständigen Pfad der Exe an</i>
<i>v2eprogramfilename</i>	<i>Zeigt den Namen der Exe Datei an</i>
<i>v2eprogrampathname</i>	<i>Zeigt das Verzeichnis der Exe an</i>
<i>v2eprogramshortname</i>	<i>Zeigt den vollständigen Pfad der Exe Datei an, in kurzen Dos 8.3 Namen an</i>

---

## Systemvoraussetzungen

Windows 2000 oder höher

---

## Lizenz (englischer Text)

License Agreement

Copyright (c) 2016 Fatih Kodak

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE OTHER DEALINGS IN THE SOFTWARE.

---

### **Sonstiges**

Das Programm verwendet: [GoLink](#) [GoRC](#) [Scintilla](#) [UPX](#)

Die Scintilla Lizenz kann [hier](#) eingesehen werden.

---

### **Kontakt**

**Author:** Fatih

**Webseite:** Kodak

**Email:** [www.f2ko.de](http://www.f2ko.de)  
[webmaster@f2ko.de](mailto:webmaster@f2ko.de)

---